

L Number	Hits	Search Text	DB	Time stamp
4	149	capacitance with (aperture and resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 15:58
5	41	capacitance with (aperture and resistance and frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 15:58
-	24	Sorrells.in. and capacitor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 13:49
-	23	(Sorrells.in. and capacitor) and switching	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 13:47
-	14	((Sorrells.in. and capacitor) and switching) and resonant	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 13:47
-	41	Bultman.in. and capacitor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 13:46
-	22	(Bultman.in. and capacitor) and switching	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 13:47
-	14	((Bultman.in. and capacitor) and switching) and resonant	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 13:47
-	27	Cook.in. and capacitor and switching and resonant	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 13:50
-	14	Looke.in. and capacitor and switching and resonant	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 13:51
-	15	Moses.in. and capacitor and switching and resonant	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 13:51
-	3	Rawlins.in. and capacitor and switching and resonant	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 13:51
-	126	(down-convert\$4 or downconvert\$4 or (down adj1 convert\$4)) with (electromagnetic or electro-magnetic or "EM")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 15:41
-	38	((down-convert\$4 or downconvert\$4 or (down adj1 convert\$4)) with (electromagnetic or electro-magnetic or "EM")) and capacitor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 17:30
-	17	((down-convert\$4 or downconvert\$4 or (down adj1 convert\$4)) with (electromagnetic or electro-magnetic or "EM")) and capacitor and resonant	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:09
-	17	((down-convert\$4 or downconvert\$4 or (down adj1 convert\$4)) with (electromagnetic or electro-magnetic or "EM")) and capacitor and resonant\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:03
-	31	((down-convert\$4 or downconvert\$4 or (down adj1 convert\$4)) with (electromagnetic or electro-magnetic or "EM")) and capacitor and (switch\$4 or transistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:09

-	14703	(convert\$4) with (electromagnetic or electro-magnetic or "EM")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:18
-	447	(convert\$4) with ((electromagnetic or electro-magnetic or "EM") adj1 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:19
-	96	((convert\$4) with ((electromagnetic or electro-magnetic or "EM") adj1 signal)) and capacitor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:19
-	2	("6421534").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:48
-	2	("6330244").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:49
-	2	("4384357").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:49
-	2	("4470145").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:49
-	2	("5600680").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:50
-	2	("5606731").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:50
-	2	("5870670").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:51
-	2	("6314279").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:51
-	2	("5633815").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:52
-	4	("3246084").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 14:52
-	33	((convert\$4) with ((electromagnetic or electro-magnetic or "EM") adj1 signal)) and capacitor) and (switch\$4 or transistor) and resonant\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 17:00
-	33	((convert\$4) with ((electromagnetic or electro-magnetic or "EM") adj1 signal)) and capacitor) and (switch\$4 or transistor) and resonant	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 17:00
-	81	((convert\$4) with ((electromagnetic or electro-magnetic or "EM") adj1 signal)) and capacitor) and (switch\$4 or transistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 17:07
-	2	((down-convert\$4 or downconvert\$4 or (down adj1 convert\$4)) with signal) same (capacitor and resonant and transistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 17:57
-	1	"6308056".PN.	USPAT	2003/09/23 17:56
-	1	"4590612".PN.	USPAT	2003/09/23 17:56

-	177	((down-convert\$4 or downconvert\$4 or (down adj1 convert\$4)) with signal) and (capacitor and resonant and transistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 17:58
-	367	((down-convert\$4 or downconvert\$4 or (down adj1 convert\$4)) with signal) and resonant and "RF"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 11:17
-	116	((down-convert\$4 or downconvert\$4 or (down adj1 convert\$4)) with signal) and (resonant adj1 circuit) and "RF"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 11:56
-	243	("RF") with (electromagnetic adj1 signals)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 11:46
-	97	((down-convert\$4 or downconvert\$4 or (down adj1 convert\$4)) with signal) and (resonant adj1 circuit) and "RF" and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 12:29
-	36	((down-convert\$4 or downconvert\$4 or (down adj1 convert\$4)) with signal) and (resonant adj1 circuit) and "RF" and impedance and (capacitor with load)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 15:55
-	1942	aperture with transistor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 13:11
-	0	(aperture with transistor) and reciever	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 13:11
-	80	(aperture with transistor) and receiver	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/24 13:11